



TITLE:

# Laboratory of Nuclear Reaction and Nuclear Science Research Facility (Special Issue on the Commemoration of the Fiftieth Anniversary)

AUTHOR(S):

---

CITATION:

Laboratory of Nuclear Reaction and Nuclear Science Research Facility (Special Issue on the Commemoration of the Fiftieth Anniversary). Bulletin of the Institute for Chemical Research, Kyoto University 1977, 54(6): 351-359

ISSUE DATE:

1977-03-25

URL:

<http://hdl.handle.net/2433/76707>

RIGHT:

## **LABORATORY OF NUCLEAR REACTION**

**Head: Dr. Takuji Yanabu**

and

## **NUCLEAR SCIENCE RESEARCH FACILITY**

**Head: Dr. Hidekuni Takekoshi**

Laboratory of Nuclear Reaction and Nuclear Science Research Facility are successors to K. Kimura Laboratory, whose history until 1951 is described in ref. 1) and that from 1952 to 1966 in ref. 2). Laboratory of Nuclear Reaction succeeded mainly the research activities in the field of the experimental nuclear physics, and the Nuclear Science Research Facility succeeded mainly the research activities in the field of the accelerator physics and researches using the beam from the cyclotron in collaboration with members of other organizations. Later, when the Yukawa Laboratory was ceased, its activity was transferred to the Laboratory of Nuclear Reaction in 1968. But, in reality, these three branches of activities have been coupled closely and managed as a whole up to now, as the Kéage Laboratory of Nuclear Science, so that the histories of these two laboratories are described in common in the following. A few words should be given here about the late Professor Y. Uemura. He had been an important staff member since 1939, when the nuclear science laboratory headed by the late Professor B. Arakatsu was founded in this Institute. He was promoted to a full professor in 1973 and was appointed to the Head of the Nuclear Science Research Facility, but, to our regret, sudden illness attacked him and he died on May 20, 1973. The staff members at present are;

Laboratory of Nuclear Reaction, Dr. T. Yanabu, Dr. N. Fujiwara, M. Sc. T. Ohsawa and Mr. S. Matsuo.

Nuclear Science Research Facility, Dr. H. Takekoshi, Dr. K. Fukunaga and Dr. S. Kakigi.

### **I. Accelerator Physics**

The Kyoto University Cyclotron has been installed in the Nuclear Science Research Facility since 1955 and has been utilized by many researchers in various organizations such as Department of Physics, Institute of Atomic Energy, Research Reactor Institute, Department of Nuclear Engineering, Department of Chemistry of Osaka University and Nara Women's University in cooperation with staff members of the Kéage Laboratory of Nuclear Science. This cyclotron, however, had expired its life span in 1967 and was quite re-newed during 1969 to 1972. The improvement of the cyclotron was pursued under the design work of the staff members and

manufactured by the Mitsubishi Heavy Industries, the Fuji Electronic Industrial Co., and by the Shimazu Seisakusho Ltd. Control and operation system of the cyclotron was also renewed. As a result of the improvement, the energy of the accelerated beams became variable and the operation of the cyclotron very stable and easy to handle.

Other topics than the cyclotron improvement were the research work on the extraction of electron beam from the INS Electron Synchrotron. This work was done by the Institute for Nuclear study, Department of Physics of the University of Tokyo, and the Kéage Laboratory of Nuclear Science collaboration. Heavy ion acceleration by the cyclotron was tried also in cooperation with the members of the Department of Nuclear Engineering and founded the heavy ion physics in Japan.

## **II. Computational Physics**

As is described in later section, one of the main items of the Kéage laboratory is the research work on nuclear three body problems. This work necessitates to treat multi-parameter informations. Until 1971, only two parameter data processing was possible by using a two dimensional pulse height analyzer, but this P. H. A. has so little memory capacities to get high resolution nuclear data. In 1972, a mini-computer was installed in the Laboratory and peripheral hard and soft wares were developed in our laboratory to accomplish multi-parameter data processing on line. This on line data processing system could accomodate the needs for three, four, and so on multi-particle production problem and is expected to be very useful in intermediate energy nuclear physics.

## **III. Other Instrumentations**

Fundamental facilities to use the cyclotron beam such as beam transport systems, beam steering magnet, beam momentum analyzing magnet and a broad range magnetic spectrograph were installed until 1966. The design and performances of these instrumentations are reported in 1969. Newly designed and constructed aparata in the decade from 1966 to 1976 are a scattering chamber and a vacuum evaporation device. The scattering chamber is designed to detect particles emitted from the target to any direction in three demensional space and to equip three sets of detectors. Particle-particle correlations not only in the reaction plane but also off the reaction plane could be investigated with this chamber. The vacuum evaporation device is equipped with an electron gun to heat a sample of very high melting point. A thin film of Be, B, and C could be produced with this device and contributed very much to the research work of light nuclei.

## **IV. Radiations and Matter**

Stopping powers of various materials for p, d, and  $\alpha$  have been studied continuously by a collaboration from the Nara Women's University and the Kéage Laboratory. Over wide range of Z, from Be to Au, the stopping powers of materials were decided

with an accuracy of 0.1% or less and the values are becoming standard ones in the world.

## V. Radiation Chemistry

A collaboration from the Institute of Atomic Energy, Department of Chemistry of Osaka University and the Kéage Laboratory has studied continuously the deuteron induced nuclear reactions by radio-chemical technique. Excitation functions of (d,p), (d,2n), (d, $\alpha$ ), and other possible type of reactions were obtained simultaneously. Recently, an automatic irradiation chamber followed by a pneumatic tube to convey the irradiated samples to a radio-chemical hood was installed in the Kéage laboratory, and the research of product radio-nuclides of short life times of the order of 10 seconds are under way.

## VI. Level Structure and the Excitation Mechanism of Light and Medium Nuclei

Elastic and inelastic scattering of protons, deuterons and alpha particles from the cyclotron by light and medium weight nuclei has been observed to investigate the level structure and the excitation mechanism. Collective excitations were observed obviously by alpha particle inelastic scattering. Optical potential fit was succeeded in the scattering of protons and alpha particles but gave not so good fit for deuteron scattering. Spin-flip states and un-natural parity states were also investigated by means of inelastic scattering of alpha particles. Two particle states were investigated by means of ( $\alpha$ , d) and proton inelastic scattering. Core excited state and two step excitation were observed by a (d, p) reaction on light nuclei. Above all, nuclear excitation mechanism seems not so simple that could be explained by a direct or impulse excitation or by a compound process excitation.

## VII. Few Nucleon Problems and Three Body Reactions

Search for an alpha cluster in light nuclei has been continued since 1962. Quasi-free scattering peak was sought in the (p, $\alpha$ ) and ( $\alpha$ ,2 $\alpha$ ) reaction by detecting a proton-alpha and alpha-alpha particle correlations. Target nuclei observed were  $^6\text{Li}$ ,  $^7\text{Li}$ ,  $^9\text{Be}$ ,  $^{11}\text{B}$ ,  $^{12}\text{C}$ ,  $^{16}\text{O}$ , and  $^{20}\text{Ne}$ . Conclusions hitherto obtained are that the existence of alpha clusters is clear in  $^6\text{Li}$ ,  $^7\text{Li}$ , and  $^9\text{Be}$ . In nuclei heavier than  $^{12}\text{C}$ , the existence of alpha cluster is doubtful and the alpha particles emitted are probably due to sequential decay, that is, emitted from the excited states of the target nuclei. The sequence of these researches led different kinds of research works; one is the few nucleon problem and the other is the nuclear three body reactions. Excited states were investigated for deuterons,  $^6\text{Li}$ ,  $^7\text{Li}$ ,  $^{10}\text{B}$ , and  $^{12}\text{C}$  and the existence of three-partice (or cluster) states were clarified by observing the break up of target nuclei. On the other hand, kinematically complete experiment of three body problem was found to be very useful to determine the spin and parity of the intermediate particle decaying state. The level

structures in the giant resonance region are being investigated by means of particle-particle correlation detection.

### **VIII. Intermediate Energy Nuclear Physics**

In 1962, the Science Council of Japan advised the Japanese Government to establish the Institute for Elementary Particles. This advice took its shape in 1971 as the establishment of the National Institute for High Energy Physics. As T. Yanabu had been one of the committee members to promote the foundation of this Institute, and was interested to develop the field of intermediate and high energy nuclear physics, efforts have been made continuously by Yanabu since 1962 to organize nuclear physicists in Japan for the promotion of intermediate energy nuclear physics. Since then, about 17 workshops had been held in the decade from 1966 to 1976 to study and prepare one's self for the research work which will be performed by using the facilities of the National Institute for High Energy Physics. On the other hand, one of the members of the Laboratory of Nuclear Reaction went to the Orsay Institute for Nuclear Physics and investigated the  $^3\text{He}$  breakup at 156 MeV, and another member went to the Institute for Nuclear Study, University of Tokyo, and investigated the  $(e,e'p)$  reaction at 700 MeV. These activities of the Laboratory of Nuclear Reaction were very effective to attract the attention of Japanese nuclear physicists to the field of intermediate energy nuclear physics.

### **IX. Theoretical Nuclear Physics**

Foundations of nuclear physics has been investigated continuously since 1943, when the Yukawa laboratory was established in this Institute. The history of theoretical researches until 1966 is reported in ref. 3). Here reported are the activities in the decade from 1966 to 1976.

#### **Space-Time Structure of Elementary Particles**

Yukawa<sup>4)</sup> proposed in 1966 that the space and time may be composed of elementary domains indivisible any more. This existence of elementary domains was realized by finding that coordinate transformation is a kind of contact transformation. Non local solutions of wave equations were obtained without subsidiary conditions by means of pure algebraic methods.<sup>5)</sup> Also, methods of averaging field variables over elementary domain are being developed on the basis of the theory of measurement.<sup>6)</sup>

#### **Theory of Composite Systems**

General problems of composite systems like atoms, molecules, nuclei, and elementary particles, were investigated. The separation of center of mass motion, generators of the Poincare or Galilean group with applications to muonic atoms, high energy electron scattering from nuclei, MT transformation for many photon processes in hydrogen atom, charge transfer reactions in atoms and molecules, and the pion produc-

tion by proton and other particle capture, are the main items of composite systems studied.<sup>7)</sup>

## Group Theoretical Foundations of Theoretical Physics

An interesting fact was found that Hausdorff's formula in the Lie theory of continuous transformation groups lead to the usual formula in time dependent perturbation theory without the use of analytical methods.<sup>8)</sup> We are performing the applications of Hausdorff's formula to thermal neutron scattering by crystal lattice, chiral symmetry in n-dimensional quark model, relativistic wave equations, and others. Group theoretical structure of bi-local field theory was also studied from the standpoint of infinite dimensional representation of the two dimensional Lorentz group.<sup>9)</sup>

## References

- 1) K. Kimura, *Commemoration Volume for the Silver Jubilee, Institute for Chemical Research, Kyoto University* 1951, p. 179.
- 2) K. Kimura, T. Yanabu, and S. Kunichika, *Bull. Inst. Chem. Res., Kyoto Univ.*, **44** 451 (1966).
- 3) H. Yukawa, *ibid.*, **44** 461 (1966).
- 4) H. Yukawa, *Progr. Theor. Phys., Suppl.*, **37** and **38** 512 (1966).
- 5) S. Matsuo, On the Non-Local Field Theory without Subsidiary Conditions; to be submitted to *Soryusiron Kenkyu*\*.
- 6) S. Matsuo, Elementary Domain Theory and Second Quantization; to be Submitted to *Soryusiron Kenkyu*\*.
- 7) S. Matsuo, General Theory of Center of Mass Motion of Any Composite System; to be submitted to *Soryusiron Kenkyu*\*.
- 8) S. Matsuo, A New Method of Operator Calculus Based on Hausdorff's Formula and It's Applications to Nuclear Physics; to be submitted to *Soryusiron Kenkyu*\*.
- 9) S. Matsuo, Bi-Local Field Theory and Infinite Dimensional Representation of the Two Dimensional Lorentz Group; to be submitted to *Soryusiron Kenkyu*\*.

## Publications

(\* indicates an article published in Japanese)

### I. Nuclear Instruments and Methods

1. J. Kokame: A Program of a Computer (KDC-1) for Automatic Data Process of Pulse Height Spectra in Experimental Nuclear Physics, *Bull. Inst. Chem. Res., Kyoto Univ.*, **44** 367 (1966).
2. K. Fuke, S. Kawasaki, T. Yamakawa, S. Yamaguchi, K. Fukunaga, J. Kokame, S. Yamashita, and T. Yanabu: Electron Beam Extraction from INS AG Synchrotron. Part II. Experiment., *Japanese J. Appl. Phys.*, **6**, 242 (1967).
3. T. Sidei, J. Muto, I. Kumabe, H. Ogata, K. Takimoto, Y. Ohkuma, M. Inoue, Y. Ogata, Y. Uemura, S. Yamashita, G. Imamura, T. Takagi, Y. Yokota, K. Inoue, T. Takabe, and T. Ohama: Kyoto University Tandem Van de Graaf, *Memoirs of College of Science, University of Kyoto XXXII*, **1**, (1967).
4. F. Fukuzawa, N. Imanishi, M. Sakisaka, K. Yoshida, Y. Uemura, S. Kakigi, and H. Fujita: Sub-harmonic Acceleration of Heavy Ions by the Cyclotron of Kyoto University, *Bull. Inst. Chem. Res., Kyoto Univ.*, **45** 363 (1967).
5. N. Fujiwara: Experimental Techniques of the 1 GeV Proton-Nucleus Reaction Experiments, *Genshikaku Kenkyu*, **13**, 234 (1968)\*.
6. K. Fuke, Y. Kobayashi, T. Yamakawa, S. Yamaguchi, and S. Yamashita, One-Third Resonance

- Extraction from INS AG Electron Synchrotron, *Japanese J. Appl. Phys.*, **7**, 1274 (1968).
7. K. Komura, T. Mitsugashira, A. Mito, and K. Otozai: Target Chemistry of Ruthenium, *Bull. Inst. Chem. Res., Kyoto Univ.*, **47**, 79 (1969).
  8. K. Fukunaga, S. Matsuki, N. Fujiwara, and T. Miyanaga: Transistorized Circuits for the Fast Coincidence Experiments, *ibid.*, **47**, 83 (1969).
  9. Y. Uemura, J. Kokame, S. Yamashita, S. Kakigi, H. Fujita, S. Kakui, T. Maruyama, K. Sano, and F. Fukuzawa: The Ion Source for the Cyclotron of Kyoto University, *ibid.*, **47**, 97 (1969).
  10. Y. Uemura, S. Kakigi, N. Fujiwara, S. Matsuki, H. Nakamura, T. H. Kim, K. Ogino, N. Imanishi, T. Koyama, and S. Kuriyama: Vacuum Evaporator with an Electron Gun for the Preparation of Thin Target, *ibid.*, **47**, 114 (1969).
  11. T. Yanabu, K. Miyake, H. Ikegami, A. Katase, S. Yamashita, T. Ohama, K. Hosono, S. Kakigi, D. C. Nguyen, and R. Ishiwari: Beam Transport System of the Kyoto University Cyclotron, *ibid.*, **47**, 123 (1969).
  12. Y. Uemura, S. Yamashita, T. Yanabu, Y. Yamada, T. Ohama, S. Kakigi, and D. C. Nguyen: Design and Performance of a Broad Range Magnetic Spectrograph, *ibid.*, **47**, 143 (1969).
  13. T. Yanabu, H. Fujita, M. Gotoh, and T. Iwasa: A Scattering Chamber for three Body Nuclear Reactions, *ibid.*, **47**, 154 (1969).
  14. M. Yasue, N. Fujiwara, T. Ohsawa, and N. Izutsu: Heavy Particle Identification with a T. O. F. Method in Nuclear Reactions, *ibid.*, **48**, 223 (1970).
  15. T. Yanabu, N. Fujiwara, T. Ohsawa, H. Sasaki, M. Kihara, H. Takahashi, Y. Kimura, T. Suzuki, K. Kato, A. Kusumegi, Y. Takahashi, Y. Hirabayashi, T. Tanabe, K. Hisatake, H. Ikegami, T. Hirose, T. Yamagata, K. Tanabe, M. Oyamada, M. Sugawara, A. Masaike, K. Nishimura, N. Tamura, K. Imai, S. Kobayashi, I. Fujiwara, and Y. Yoshizawa: Design Studies on Nuclear Experiment Facilities Coupled with the Booster Beam of the National Laboratory for High Energy Physics, *Genshikaku Kenkyu*, **18**, 381 (1974)\*.
  16. N. Fujiwara, T. Ohsawa, T. Miyanaga, K. Fukunaga, and S. Kakigi: Some Experiments on the Radiofrequency System of the Improved Kyoto University Cyclotron, *Bull. Inst. Chem. Res., Kyoto Univ.*, **52**, 70 (1974).
  17. Y. Uemura, K. Fukunaga, S. Kakigi, T. Yanabu, N. Fujiwara, T. Ohsawa, H. Fujita, T. Miyanaga, and D. C. Nguyen: Improved Kyoto University Cyclotron, *ibid.*, **52**, 87 (1974).
  18. T. Miyanaga, T. Ohsawa, S. Tanaka, N. Fujiwara, S. Kakigi, K. Fukunaga, and T. Yanabu: Multiparameter Data Acquisition System with a Mini-Computer, *ibid.*, **54**, 1 (1976).

## II. Radiations and Matter

1. R. Ishiwari, N. Shiomi, Y. Mori, T. Ohata, and Y. Uemura: Comparison of Energy Losses of Protons and Deuterons of Exactly the Same Velocity, *Bull. Inst. Chem. Res., Kyoto Univ.*, **45**, 379 (1967).
2. R. Ishiwari, N. Shiomi, S. Shirai, T. Ohata, and Y. Uemura: Comparison of Stopping Powers of Al, Ni, Cu, Rh, Ag, Pt, and Au for Protons and Deuterons of Exactly the Same Velocity, *ibid.*, **49**, 390 (1971).
3. R. Ishiwari, N. Shiomi, S. Shirai, T. Ohata, and Y. Uemura: Stopping Powers of Be, Al, Cu, Mo, Ta, and Au for 28 MeV Alpha Particles, *ibid.*, **49**, 403 (1971).
4. R. Ishiwari, N. Shiomi, S. Shirai, and Y. Uemura: Stopping Powers of Al, Ti, Fe, Cu, Mo, Ag, Sn, Ta, and Au for 7.2 MeV Protons, *ibid.*, **52**, 19 (1974).
5. R. Ishiwari, N. Shiomi, S. Shirai, and Y. Uemura: Stopping Powers of Al, Ti, Fe, Cu, Mo, Ag, Sn, Ta, and Au for 7.2 MeV Protons, *Physics Letts.*, **48A**, 96 (1974).

## III. Radiation Chemistry

1. K. Otozai, S. Kume, M. Koyama, T. Mitsui, T. Nishi, and I. Fujiwara: Excitation Functions for the Reactions Induced by Deuterons on  $^{142}\text{Ce}$  up to 14.2 MeV, *Nucl. Physics*, **81**, 322 (1966).
2. K. Otozai, S. Kume, H. Okamura, A. Mito, T. Nishi, and I. Fujiwara: Excitation Functions for Deuteron-Induced Reactions, *Nucl. Physics*, **A107**, 427 (1968).
3. T. Nishi and K. Otozai: Excitation Functions of Deuteron Induced Reactions, *Bull. Inst. Chem. Res. Kyoto Univ.*, **47**, 162 (1969).

4. A. Mito, K. Komura, T. Mitsugashira, and K. Otozai: Excitation Functions for the (d,p) Reactions on  $^{96}\text{Ru}$ ,  $^{102}\text{Ru}$ , and  $^{104}\text{Ru}$ , *Nucl. Physics*, **A129**, 165 (1969).
5. Y. Uemura, T. Nishi, N. Imanishi, and I. Fujiwara: Residual Radioactivity of the Kyoto University Cyclotron, *Bull. Inst. Chem. Res., Kyoto Univ.*, **52**, 124 (1974).
6. T. Nishi, I. Fujiwara, N. Imanishi, H. Nakamura, and H. Okamoto: Excitation Functions for the Deuteron Induced Reactions on  $^{64}\text{Zn}$  and  $^{76}\text{Ge}$ , *ibid.*, **52**, 223 (1974).

#### IV. Nuclear Reactions

1. I. Kumabe, H. Ogata, S. Tomita, M. Inoue, and Y. Ohkuma: Elastic and Inelastic Scattering of 28.4 MeV Alpha Particles by Sn, Cd, Ag, and Ti, *J. Phys. Soc. Japan*, **21**, 413 (1966).
2. J. Kokame, K. Fukunaga, and H. Nakamura: On the  $3^-$  State in  $^{28}\text{Si}$  and  $^{24}\text{Mg}$ , *Physics Letts*, **20**, 672 (1966).
3. K. Ogino and S. Maeda: The Measurement of Nuclear Reaction Cross Section at  $180^\circ$ , *Genshikaku Kenkyu*, **11**, 279 (1966)\*.
4. D. C. Nguyen: Elastic and Inelastic Scattering of Deuterons from  $\text{Be}^9$ ,  $\text{C}^{12}$ ,  $\text{N}^{14}$ , and  $\text{O}^{16}$  at 14 MeV, *J. Phys. Soc. Japan*, **21**, 2462 (1966).
5. T. H. Kim: Two Particle States Excited by the ( $\alpha$ , d) Reactions on s-d Shell Nuclei, *ibid.*, **21**, 2445 (1966).
6. K. Fukunaga, H. Nakamura, T. Tanabe, K. Hosono, and S. Matsuki: Continuous Energy Spectra of Protons and Alpha Particles Emitted by the Deuteron and Alpha Particle Reaction, *ibid.*, **22**, 28 (1967).
7. K. Takimoto: (p, pa) and ( $\alpha$ ,  $2\alpha$ ) Reactions at Medium Energy and Alpha-Clustering Correlations in Light Nuclei, *Memoirs of College of Science, University of Kyoto, Series A*, **XXXI**, 267 (1967).
8. H. Nakamura: Excitation of Spin-Flip States of Light Nuclei in Inelastic Scattering of Alpha Particles, *J. Phys. Soc. Japan*, **22**, 685 (1967).
9. I. Kumabe, H. Ogata, T. H. Kim, M. Inoue, and Y. Ohkuma: Energy Spectra of Inelastic Scattering of 28.4-MeV Alpha Particles, *ibid.*, **23**, 147 (1967).
10. K. Fukunaga, H. Nakamura, and N. Fujiwara: Inelastic Scattering of Alpha Particles by  $\text{Be}^9$  at 28.5 MeV, *ibid.*, **23**, 911 (1967).
11. M. Sakisaka, F. Fukuzawa, N. Imanishi, K. Shima, K. Tsuji, T. Yamazaki, and Y. Uemura: Coulomb Excitation by Nitrogen Ions, *Genshikaku-Kenkyu*, **11**, 597 (1967)\*.
12. T. Yanabu, S. Yamashita, D. C. Nguyen, S. Kakigi, R. Ishiwari, K. Ogino, K. Hosono, S. Matsuki, and T. Tanabe: Cluster Structure of the Nucleus, *ibid.*, **12**, 8 (1967)\*.
13. K. Fukunaga, T. Tanabe, S. Yamashita, N. Fujiwara, S. Kakigi, and T. Yanabu: Breakup of Deuterons by Alpha Particle Impact, *Contributions to the Int. Conf. on Nuclear Structure, Tokyo, Japan*, 39 (1967).
14. S. Yamashita, S. Matsuki, K. Fukunaga, D. C. Nguyen, N. Fujiwara, and T. Yanabu: The Structure of  $\text{Li}^6$  and  $\text{Li}^7$  in Excited States, *ibid.*, 253 (1967).
15. T. Yanabu, S. Yamashita, S. Kakigi, D. C. Nguyen, N. Fujiwara, K. Hosono, S. Matsuki, T. Tanabe, K. Takimoto, K. Ogino, and R. Ishiwari: Quasi-Free Proton-Alpha and Alpha-Alpha Collisions in  $\text{Be}^9$  and Other Light Nuclei, *ibid.*, 261 (1967).
16. S. Kakigi, K. Hosono, H. Nakamura, D. C. Nguyen, N. Fujiwara, and T. Yanabu: Core Excitation of Light Odd Nuclei by (d, p) Reaction, *ibid.*, 276 (1967).
17. N. Imanishi, F. Fukuzawa, M. Sakisaka, and Y. Uemura: Coulomb Excitation of  $^{45}\text{Sc}$ ,  $^{75}\text{As}$ ,  $^{127}\text{I}$ , and  $^{133}\text{Cs}$ , *Nucl. Physics*, **A101**, 654 (1967).
18. H. Itoh: The Elastic Scattering of 14.2 MeV Deuterons by Deuterons and Helium 4 Nuclei, *Memoirs of College of Science, University of Kyoto, Series of Physics, Astrophysics and Chemistry*, **XXXII**, 37 (1967).
19. T. Yanabu, S. Yamashita, K. Hosono, S. Matsuki, T. Tanabe, K. Takimoto, Y. Ohkuma, K. Ogino, S. Okumura, and R. Ishiwari: Quasi-Free  $\alpha$ - $\alpha$  Scattering in  $\text{Be}^9$  and  $\text{C}^{12}$  at 37 MeV, *J. Phys. Soc. Japan*, **24**, 667 (1968).
20. S. Matsuki: Disintegration of  $\text{Li}^7$  and  $\text{Li}^6$  by 29.4 MeV Alpha-Particles, *ibid.*, **24**, 1203 (1968).
21. T. Tanabe: Breakup of Deuterons by Impact of Alpha Particle and Deuteron, *ibid.*, **25**, 21 (1968).
22. K. Hosono:  $j$ -Forbidden (d, p) Stripping Reactions on  $\text{C}^{12}$ ,  $\text{O}^{16}$ , and  $\text{Mg}^{24}$ , *ibid.*, **25**, 36 (1968).
23. S. Kakigi, N. Fujiwara, K. Fukunaga, D. C. Nguyen, S. Yamashita, and T. Yanabu:  $\text{B}^{11}$  ( $\alpha$ ,  $\text{Li}^7$ )



- Be<sup>8</sup> Reaction at 28.4 and 29.0 MeV, *ibid.*, **25**, 1214 (1968).
24. M. Matoba: ( $\alpha$ , t) Reaction on Medium-Weight Odd-Mass Nuclei. (I) <sup>51</sup>V and <sup>55</sup>Mn, *Nucl. Physics*, **A118**, 207 (1968).
  25. I. Kumabe, M. Matoba, and E. Takasaki: Inelastic Alpha-Particle Scattering on Copper 65 at 29 MeV, *J. Phys. Soc. Japan*, **25**, 301 (1968).
  26. H. Itoh: Phenomenological Potential for d-d Elastic Scattering, *Prog. Theor. Phys.*, **39**, 1361 (1968).
  27. S. Yamashita, N. Fujiwara, D. C. Nguyen, K. Hosono, S. Matsuki, T. Tanabe, T. Yanabu, K. Takimoto, K. Ogino, and R. Ishiwari: Quasi-Free Scattering in the Reaction Be<sup>9</sup> (p, pa) He<sup>5</sup> at 55 MeV, *J. Phys. Soc. Japan*, **26**, 1078 (1969).
  28. S. Matsuki, S. Yamashita, K. Fukunaga, D. C. Nguyen, N. Fujiwara, and T. Yanabu: Elastic and Inelastic Scattering of 14.7 MeV Deuterons and of 29.4 MeV Alpha-Particles by Li<sub>i</sub><sup>6</sup> and Li<sub>i</sub><sup>7</sup>, *ibid.*, **26**, 1344 (1969).
  29. S. Matsuki: Li<sup>7</sup> ( $\alpha$ , t)aa Reaction, *Soryushiron Kenkyu*, **39**, 303 (1969)\*.
  30. N. Fujiwara: B<sup>11</sup> +  $\alpha$  →  $\alpha$  +  $\alpha$  + Li<sup>7</sup> Reaction at 28.5 MeV, *J. Phys. Soc. Japan*, **27**, 1380 (1969).
  31. K. Hosono, S. Kakigi, H. Nakamura, N. Fujiwara, D. C. Nguyen, and T. Yanabu: C<sup>12</sup> + d → p + C<sup>13</sup> (7.64 MeV and 8.33 MeV), *Bull. Inst. Chem. Res., Kyoto Univ.*, **48**, 269 (1970).
  32. M. Yasue, T. Ohsawa, N. Fujiwara, S. Kakigi, D. C. Nguyen, and S. Yamashita: Excited States of <sup>10</sup>B near 10 MeV Studied by Proton Induced Reactions on <sup>9</sup>Be, *J. Phys. Soc. Japan*, **33**, 265 (1972).
  33. S. Matsuki, K. Ogino, E. Takasaki, M. Yasue, K. Tsuji, N. Izutsu, and S. Yamashita: The D (p, 2p) n Reaction at 3.8 to 5.0 MeV, *Proc. Int. Conf. on Few Particle Problems in the Nuclear Interaction, Los-Angeles*, 535 (1972).
  34. S. Yamashita, S. Kakigi, N. Fujiwara, T. Ohsawa, K. Takimoto, K. Ogino, I. Yamane, M. Yasue, N. Izutsu, and D. C. Nguyen: Three Body Breakup of <sup>12</sup>C by 52 MeV Protons, *ibid.*, 1007 (1972).
  35. M. Yasue, T. Ohsawa, N. Fujiwara, S. Kakigi, D. C. Nguyen, and S. Yamashita: Structure of <sup>10</sup>B Formed by the Reaction <sup>9</sup>Be + p, *ibid.*, 1009 (1972).
  36. S. Hiramatsu, T. Kamae, H. Muramatsu, K. Nakamura, N. Izutsu, and Y. Watase: (e, e'p) Reactions on <sup>6,7</sup>Li, <sup>9</sup>Be, <sup>12</sup>C, <sup>27</sup>Al, <sup>40</sup>Ca, and <sup>51</sup>V, *Proceedings of the Int. Conf. on Nuclear Structure Studies Using Electron Scattering and Photoreaction, Sendai, Japan*, 429 (1972).
  37. H. Hiramatsu, T. Kamae, H. Muramatsu, K. Nakamura, N. Izutsu, and Y. Watase: Quasi-Free Electron Scattering on Light Nuclei, *Physic Letts.* **44B**, 50 (1973).
  38. M. Yasue: Energy Dependence of the Reaction <sup>9</sup>Be (p, p<sub>1</sub>) <sup>9</sup>Be\* (1.67), *J. Phys. Soc. Japan*, **36**, 1254 (1974).
  39. M. Yasue, T. Ohsawa, N. Fujiwara, S. Kakigi, D. C. Nguyen, and S. Yamashita: Proton Induced Reactions on <sup>9</sup>Be from 4 to 6 MeV, *Bull. Inst. Chem. Res., Kyoto Univ.*, **52**, 177 (1974).
  40. S. Matsuki, S. Yamasita, N. Fujiwara, K. Fukunaga, D. C. Nguyen, and T. Yanabu: The <sup>7</sup>Li ( $\alpha$ , t) aa and the <sup>6</sup>Li ( $\alpha$ , d) aa Reactions at 29.4 MeV, *ibid.*, **52**, 202 (1974).
  41. S. Kakigi, N. Fujiwara, K. Fukunaga, T. Ohsawa, D. C. Nguyen, T. Yanabu, M. Yasue, and S. Yamashita: <sup>11</sup>B (p,  $\alpha$ ) <sup>9</sup>Be ( $\alpha$ ) <sup>4</sup>He Reaction at 7.3 MeV, *ibid.*, **52**, 218 (1974).
  42. R. Frascaria, P. G. Roos, M. Morlet, N. Marty, V. Comparat, N. Fujiwara, and A. Willis: Quasi Free pp and pd Scattering on <sup>4</sup>He at 155 MeV, *Contributions to the Int. Conf. of Few Body Problems in Nuclear and Particle Physics, Quebec, Canada*, 107, (1974).
  43. J. P. Didelez, R. Frascaria, N. Fujiwara, I. D. Goldman, E. Hourany, H. Nakamura-Yokota, F. Reide, and T. Yuasa: Proton Induced <sup>3</sup>He Break-Up at 156 MeV, *ibid.*, 110 (1974).
  44. K. Nakamura, S. Hiramatsu, T. Kamae, H. Muramatsu, N. Izutsu, and Y. Watase: Reaction <sup>40</sup>Ca (e, e'p) and Observation of the 1s Proton State, *Phys. Rev. Letts.* **33**, 853 (1974).
  45. R. Frascaria, P. G. Roos, M. Morlet, N. Marty, A. Willis, V. Comparat, and N. Fujiwara: <sup>4</sup>He (p, 2p) <sup>3</sup>H and <sup>4</sup>He (p, pd) <sup>3</sup>H Reaction at 156 MeV, *Phys. Rev., C*, **12**, 243 (1975).
  46. V. Comparat, R. Frascaria, N. Fujiwara, N. Marty, M. Morlet, P. G. Roos, and A. Willis: Elastic Proton Scattering on <sup>4</sup>He at 156 MeV, *ibid.*, **12**, 251 (1975).
  47. J. P. Didelez, R. Frascaria, N. Fujiwara, I. D. Goldman, E. Hourany, H. Nakamura-Yokota, F. Reide, and T. Yuasa: Proton Induced <sup>3</sup>He Breakup at 156 MeV, *ibid.*, **12**, 274 (1975).
  48. T. Tanabe, K. Koyama, M. Yasue, H. Yokomizo, K. Sato, J. Kokame, N. Koori, and S. Tanaka: The (<sup>3</sup>He, <sup>3</sup>He) (<sup>3</sup>He, <sup>3</sup>He') and (<sup>3</sup>He,  $\alpha$ ) Reactions on <sup>12</sup>C at 82.1 MeV, *J. Phys. Soc. Japan*, **41**, 361 (1976).

## V. Theoretical Nuclear Physics

1. S. Matsuo: Contact Transformation and Space-Time Quantization, *Soryusiron Kenkyu*, **42**, 303 (1970)\*.
2. S. Matsuo: Contact Transformation and Space-Time Quantization, *Lettere al Nuovo Cimento Serie* **2**, **1**, 391 (1971).

## VI. Reviews

1. T. Yanabu: Report on the Workshop of the Nuclear Physics in the Institute of Elementary Particles, *Genshikaku Kenkyu*, **13**, 95 (1968)\*.
2. T. Yanabu: Nuclear Relaxation and Its Analogy in Properties of Bulk Material, *JAERI*, No. 1184 131 (1969)\*.
3. T. Yanabu: A Review of the Intermediate Energy Nuclear Physics Research in Japan, *Design Study Report of the Laboratory of Elementary Particles*, 175 (Aug. 1969)\*.
4. N. Fujiwara: Three-Body Reaction of Light Nuclei, *Soryushiron Kenkyu*, **39**, 305 (1969)\*.
5. T. Yanabu: Report on the Meeting of Intermediate Energy Nuclear Physics in Japan, *Genshikaku Kenkyu*, **14**, 827 (1970)\*.
6. T. Yanabu, R. Tamagaki, Y. Yasuno, and K. Hisatake: Report on the Workshop of Nuclear Physics in the National Institute for High Energy Physics, *ibid.*, **15**, 3 (1970)\*.
7. N. Fujiwara: The (p, pd) Reaction as a Tool to Investigate the Nucleon-Nucleon Short Range Correlation in the Nucleus, *ibid.*, **15**, 55 (1970)\*.
8. N. Fujiwara, T. Ohsawa, S. Tanaka, and T. Yanabu: Particle Production in Interaction of 8 GeV Protons with Nuclei, *ibid.*, **18**, 282 (1973)\*.
9. T. Yanabu, N. Fujiwara, T. Ohsawa, and S. Tanaka: Pion and Deuteron Production from the Nucleus at High Energies, *ibid.*, **19**, 553 (1974)\*.